

RIC 2013

Consequence Analysis with MACCS2


Session on Severe Accident Code Analysis and Fukushima Response Activities

Dr. Keith L. Compton U.S. Nuclear Regulatory Commission Office of Nuclear Regulatory Research Division of Systems Analysis, Accident Analysis Branch March 12, 2013


U.S.NRC Outline

- · Overview
- MELCOR Accident Consequence Code System V.2 (MACCS2) Modules
- MELCOR Accident Consequence Code System V.2 (MACCS2) Pre-processor Codes
- · WinMACCS Architecture and Graphical User Interface
- MELCOR Accident Consequence Code System V.2 (MACCS2) Uses

2



- Tool used to assess the risk and consequence associated with a hypothetical release of radioactive material to the atmosphere.
- Evolved from codes used in the 1970's and the 1980's.
- Accounts for:
 - Transport and dispersion in the atmosphere and deposition to ground
 - Exposure due to inhalation, ingestion, and external irradiation
 Protective actions during emergency and long-term phases
- Estimates consequence in terms of:
 Health effects
 Economic impacts



MACCS2 models the radioactive release to the atmosphere (e.g. plume rise,



MACCS2 estimates the health effects from: inhalation, cloud shine, ground shine, skin deposition, and ingestion (e.g. water, milk, meat, crops)



- · ATMOS
- Atmospheric transport and dispersion
- EARLY (1 day to 1 week)


 - Emergency-phase countermeasures and consequences
 Consequence altered by sheltering, evacuation, and relocation (i.e. Protective Action Guides (PAG))
- CHRONC
 Intermediate (0 to 1 year)
 - Long-term consequences (0 to 317 years; 50 years typical use)
 - Consequence altered by decontamination, interdiction, and condemnation (i.e. Protective Action Guides)



- SECPOP2000 code
 - US site specific population distribution (based on 2000 census data)
- · MELMACCS code
 - Utility for creating a MACCS2 formatted source term from MELCOR
- · Dose Conversion Factor utility codes and files
 - DOSFAC2 code
 - FGRDCF code
 - ICRP-68/72 file
- COMIDA2 code
 - Food chain
 - Includes decay and ingrowths
 - A standard file is distributed with MACCS2/WinMACCS



U.S.NRC Architecture of WinMACCS



Note: WinMACCS has tools for post processing of MACCS2 output (e.g. plots of complementary cumulative distribution function (CCDF))

- WinMACCS(Graphical user interface)

 Organizes all data needed to run MACCS2

- to run MACCS2 Constructs input files Enables sampling and processing of uncertain inputs Post-processes results

Latin Hypercube Sampling (LHS): Performs stratified random sampling of input variables


- COMIDA2: Creates food-chain inputs to MACCS2
- MACCS2: Analyzes consequences from atmospheric release of radionuclides









U.S.NRC WinMACCS: Network Model Input





Enables graphical user modeling input implementation of road networks for population movements in multiple directions





- Jow, H-N, J. L. Sprung, J. A. Rollstin, L. T. Ritchie, D. I. Chanin (1990), MELCOR Accident Consequence Code System (MACCS): Model Description, NUREG/CR-4691, Volume 2, Sandia National Laboratories, Albuquerque, NM
- Chanin, D., M. L., Young, J. Randall, K. Jamali (1998), Code Manual for MACCS2: Volume 1, User's Guide, NUREG/CR-6613, Sandia National Laboratories, Albuquerque, NM
- Chanin, D., M. L. Young, J. Randall, K. Jamali (1998), Code Manual for MACCS2: Volume 2, Preprocessor Codes COMIDA2, FGRDCF, IDCF2, NUREG/CR-6613, Sandia National Laboratories, Albuquerque, NM
- Young, M. L., D. Chanin (1997 draft), DOSFAC2 User's Guide, NUREG/CR-6547, Sandia National Laboratories, Albuquerque, NM
- Bixler, N. E., S. A. Shannon, C. W. Morrow, B. E. Meloche, and J. N. Ridgely (2003), SECPOP2000: Sector Population, Land Fraction, and Economic Estimation Program, NUREG/CR-6525 Rev. 1, Sandia National Laboratories, Albuquerque, NM

13